# Tao 3 Light Chandelier Brushed Nickel

44050NI (Brushed Nickel)

| Project Name: |  |
|---------------|--|
| Location:     |  |
| Type:         |  |
| Qty:          |  |
| Comments:     |  |
|               |  |



# Certifications/Qualifications

| Location Rating   | Dry                      |
|-------------------|--------------------------|
|                   | www.kichler.com/warranty |
| Dimensions        |                          |
| Base Backplate    | 5.00 DIA                 |
| Chain/Stem Length | 36"                      |
| Weight            | 6.60 LBS                 |
| Height            | 18.75"                   |
| Overall Height    | 57.00"                   |
| Width             | 21.75"                   |

# Mounting/Installation

| Interior/Exterior          | Interior |
|----------------------------|----------|
| Lead Wire Length           | 59       |
| Mounting Weight            | 4.30 LBS |
| Slope Ceiling Kit Included | Yes      |

# **Primary Lamping**

| 3                      |              |
|------------------------|--------------|
| Lamp Included          | Not Included |
| Lamp Type              | A19          |
| Light Source           | Incadescent  |
| Max or Nominal Watt    | 75W          |
| # of Bulbs/LED Modules | 3            |
| Socket Type            | Medium       |
| Socket Wire            | 105          |

# **Product/Ordering Information**

| SKU    | 44050NI        |
|--------|----------------|
| Finish | Brushed Nickel |
| Style  | Contemporary   |
| UPC    | 783927539982   |

### **Specifications**

| •                    |                         |
|----------------------|-------------------------|
| Diffuser Description | Satin Etched Cased Opal |
| Material             | STEEL                   |

# **Additional Finishes**



Brushed Nickel



Olde Bronze

### Kichle

7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

### Notes

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions

laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference

